

CAPspray[®]

THE FINISHING TOOL™



Built by Professionals for Professionals

Fine Finish

AirCoat


CAPspray offers the most complete line of Fine Finish spraying equipment.

Professional equipment for the professional painter.

The product line ranges from turbines, compressor-driven units, conventional and HVLP air spray equipment, air-assisted airless and electrostatic systems.

CAPspray offers premium products for all of your finishing needs.

New Cart




- The CAPspray AirCoat is the only portable – totally self-contained – Air-Assisted Airless Fine Finishing System.
- The CAPspray AirCoat uses low fluid pressure combined with low air pressure to deliver ultra fine atomization with high transfer efficiency. The end result is exceptional finish quality.
- By utilizing lower fluid pressure and injecting air, the CAPspray AirCoat maintains significantly higher transfer efficiency than traditional airless without sacrificing application speed. It is an amazing, dedicated finishing tool.



CAPspray AirCoat Air-Assisted Airless Portable Finishing Sprayer Specifications

Maximum Output	35 GPM
Maximum Fluid PSI	2800
Maximum Air PSI	35
Fluid & Air Hose	50 ft.
Weight	56 lbs.
Part Number	0508074
UPC	024964162604



HVLP Turbine Sprayers



CS 9100
The Best of
the Best!



CS9100

The CS9100 is the most powerful and versatile turbine unit available, spraying the widest variety of coatings. Sprays stain to finish quality latex. Rugged, portable and dependable as you would expect.

Specifications:

- 8.5 psi air pressure
- 4-stage tangential turbine
- Dual air filtration
- Built-in cup holder
- 30 ft. standard hose length
- 1 qt cup gun
- Filter warning light
- Amp draw 12.4
- Unit weight 23.5 lbs.

Part # UPC
0277047 024964117840

CS5100

Spray stains, sealers and lacquers. Ideal for light to medium residential jobs.

Specifications:

- 2-stage turbine
- 5.0 psi
- Weighs 18 lbs.
- 20' air hose
- 1 qt cup gun
- Dual air filtration



Part # UPC
0277032 027964117192

CS8100

Ideal for stains, sealers, lacquers, enamel and most multi-color coatings. Use for medium residential or commercial jobs.

Specifications:

- 6.0 psi air pressure
- 3-stage tangential turbine
- Dual air filtration
- 30 ft. standard hose length
- Unit weight 22.5 lbs.



Part # UPC
0277030 024964117185

Power Cart

The Power Cart is designed to be used with any CS turbine. The cart increases the material capacity from 1 quart to 2-1/2 gallons for long, continuous applications.

It also gives the user greater mobility by removing the 1 quart cup.

Specifications:

- 2-1/2 gallon pressure pot
- Built-in air compressor
- 30' fluid hose
- Accommodates CS5100, CS8100, or CS9100
- Telescope handle

Part # UPC

Cart only 0508046 024964146031
 Cart w/9100 0277077 024964132645



CS10,000

The CS10,000 is the highest performing HVLP unit available. It combines quiet operation and high air cap pressure for the finest atomization possible. The CS10,000 sprays nearly all coatings with little to no reduction.

Specifications:

- 0-10+ psi air cap pressure
- 60 ft. max. hose length
- Unit weight 110 lbs.
- 2 hp twin head, dual piston motor
- Includes low CFM Gun

Part #
 0550002
 UPC
 024964169276



NEW & IMPROVED!

Electrostatic



Electrostatic systems for use with SprayTECH pumps help you take on challenging steel and other metal applications that otherwise are too costly and labor-intensive to bid competitively.

The electrostatic advantage is the "wrap around" effect that reduces material consumption and makes it unnecessary to spray from all sides. Atomized paint particles are electrically charged at the tip, travel in an electrostatic field and form an even coating on the grounded object.

Typical electrostatic applications include: structural steel, metal doors, metal stairways, duct work, metal fences, vaults, corrugated metal buildings, office furniture, chain link fences, plant equipment, elevators and jail cells.



Compact, portable package includes:

80 Kv charging system, GM2000 Electrostatic Gun, complete with hoses, high-pressure gauge, 1075 Airless Pump mounted on heavy-duty cart

Part # 0295271 UPC 02496415370

Stati-Kit 2000 Electrostatic System

Specifications:

Part no. 0292003
 UPC code 024964920037
 Air requirements for AirCoat 3 CFM at 20 psi
 Output voltage 80kV
 Max. pressure 3625 psi
 Power cable 36' (10 meters)
 Hose connections 1/4" nps
 Polarity Negative
 Power supply VM-200
 Weight 21.18 oz



AirCoat with Stati-Kit 2000 Electrostatic System

Includes:

80 Kv charging system, Electrostatic Gun, hoses and AirCoat unit



Part # 0550004 UPC 024964169757

Power Cart

The Power Cart is designed to be used with any CS turbine. The cart increases the material capacity from 1 quart to 2-1/2 gallons for long, continuous applications.

It also gives the user greater mobility by removing the 1 quart cup.

Specifications:

- 2-1/2 gallon pressure pot
- Built-in air compressor
- 30' fluid hose
- Accommodates CS5100, CS8100, or CS9100
- Telescope handle

Part # UPC

Cart only 0508046 024964146031
 Cart w/9100 0277077 024964132645



CS10,000

The CS10,000 is the highest performing HVLP unit available. It combines quiet operation and high air cap pressure for the finest atomization possible. The CS10,000 sprays nearly all coatings with little to no reduction.

Specifications:

- 0-10+ psi air cap pressure
- 60 ft. max. hose length
- Unit weight 110 lbs.
- 2 hp twin head, dual piston motor
- Includes low CFM Gun

Part #
 0550002
 UPC
 024964169276



NEW & IMPROVED!

Electrostatic



Electrostatic systems for use with SprayTECH pumps help you take on challenging steel and other metal applications that otherwise are too costly and labor-intensive to bid competitively.

The electrostatic advantage is the "wrap around" effect that reduces material consumption and makes it unnecessary to spray from all sides. Atomized paint particles are electrically charged at the tip, travel in an electrostatic field and form an even coating on the grounded object.

Typical electrostatic applications include: structural steel, metal doors, metal stairways, duct work, metal fences, vaults, corrugated metal buildings, office furniture, chain link fences, plant equipment, elevators and jail cells.



Compact, portable package includes:

80 Kv charging system, GM2000 Electrostatic Gun, complete with hoses, high-pressure gauge, 1075 Airless Pump mounted on heavy-duty cart

Part # 0295271 UPC 02496415370

Stati-Kit 2000 Electrostatic System

Specifications:

Part no. 0292003
 UPC code 024964920037
 Air requirements for AirCoat 3 CFM at 20 psi
 Output voltage 80kV
 Max. pressure 3625 psi
 Power cable 36' (10 meters)
 Hose connections 1/4" nps
 Polarity Negative
 Power supply VM-200
 Weight 21.18 oz



AirCoat with Stati-Kit 2000 Electrostatic System

Includes:

80 Kv charging system, Electrostatic Gun, hoses and AirCoat unit



Part # 0550004 UPC 024964169757

Why Capspray is the BEST you can buy!

The Highest Standard in HVLP

CAPspray offers the finest HVLP Sprayers in the industry. A high transfer efficiency, coupled with lightweight, quiet operation will keep you productive and profitable.

- Maxum II Gun gives 15% better atomization.
- High transfer efficiency ranges up to 90%.
- Superior air filtration system.
- Patented noise reduction system for quiet operation.

CAPspray[®]

THE FINISHING TOOL™





Air Flow

Spray patterns for every application

Superior filtration utilizes separate atomizing intake and cooling air. This protects your turbine, resulting in years of trouble-free spraying.

Built-in Air Cap positioning eliminates any guesswork.



HVLP Accessories

Projector Sets (CS5100, 8100, 9100)

#2 Pro Set (Fine Finish)	0276254
#3 Pro Set (All-Purpose)	0276227
#4 Pro Set (High Output)	0276228
#5 Pro Set (Higher Output)	0276229
#6 Pro Set (Highest Output)	0276245

Projector Sets (CS10,000)

#2 Pro Set (Fine Finish)	0277090
#3 Pro Set (All-Purpose)	0277091
#4 Pro Set (High Output)	0277092
#5 Pro Set (Higher Output)	0277093
#6 Pro Set (Highest Output)	0277094

Maxum II Guns

Maxum II NBC Gun	0277034
Maxum II NBP Gun	0277057
Maxum II NBC Gun with Regulator	0277076
Maxum II CS10,000 Pressure Gun	0277088
Maxum II CS10,000 Cup Gun with Regulator	0508064

Repair Kits

Replacement Check Valve Assemblies (Package of 3)	0297051
Check Valve Seals (Package of 10)	0276257
Gun Repair Kit	0277943
Spring Plate Assembly	0275250

Cup Gaskets

White Cup Gasket for Hot Solvents (Package of 6)	0297052
---	---------

Replacement Filters

Air Filter Kit (CS5100, CS8100, CS9100)	0279937
Air Filter Kit (CS10,000) 6 Pack	0295274

2 1/2 Gallon Pressure Pot

2-1/2 Gallon Pressure Pot w/Gun & Hose	0508061
2-1/2 Gallon Pressure Pot w/Gauges	999-0004

2 1/2 Gallon Pressure Pot Accessories

Pressure Pot Liner	0275702
Pressure Pot Liner 12 Pack	0295272
Solvent Resistant Gasket	0508943

Cups and Accessories

1-Quart Replacement Cup	0275573
Air-tight Lid for Paint Cups (retains paint for long periods)	104-0073

Hoses and Fittings Air Hose

20' x 3/4" Flex Air Hose	0275276
30' x 3/4" Flex Air Hose	0277337
2 Gun Adapter for Air Hose	0275286
Quick Disconnect (F) Turbine	0275625
External Air Control Valve	0279968
30' Air Hose CS 10,000	0295689
30' x 3/8" Material Hose	0277348
2 Gun Adapter for Material Hose	0275287

Airless Hoses

50' x 1/4" 3300 psi	0291000
25' x 1/4" 3300 psi	0291002
25' x 3/16" 3300 psi	0291007
50' x 3/16" 3300 psi	0291008

Airless Whip Hoses

3' x 1/4" 3300 psi	0295034
5' x 3/16" 3300 psi	0291003
3' x 3/16" 3300 psi	0291004
5' x 1/8" 3300 psi	0550370

Air Hoses (AirCoat)

50' x 3/8"	0551363
25' x 3/8"	0550893

Air Whips (AirCoat)

5' x 3/16"	0550372
5' x 1/8"	0550371

Maintenance Kits

CS5100, 8100, 9100 (deluxe kit)	0279941
CS5100, 8100, 9100 (standard kit)	0279942
CS10,000 (standard kit)	0295267
AirCoat (standard kit)	0550137

AirCoat Tips

Part No.	Tip No.	Orifice Size	Fan Width	Filter Mesh
0143407	07.40	0.007	6.5"	180
0143109	09.10	0.009	4"	180
0143209	09.20	0.009	4.75"	180
0143409	09.40	0.009	6.75"	180
0143509	09.50	0.009	7.75"	180
0143609	09.60	0.009	8.75"	180
0143111	11.10	0.011	4"	180
0143211	11.20	0.011	5"	180
0143411	11.40	0.011	7"	180
0143511	11.50	0.011	8"	180
0143611	11.60	0.011	8.75"	180
0143113	13.10	0.013	4"	100
0143213	13.20	0.013	4.75"	100
0143413	13.40	0.013	7.5"	100
0143513	13.50	0.013	8.5"	100
0143613	13.60	0.013	10"	100
0143813	13.80	0.013	12"	100
0143115	15.10	0.015	4.5"	100
0143215	15.20	0.015	5.5"	100
0143415	15.40	0.015	8"	100
0143515	15.50	0.015	8.75"	100
0143615	15.60	0.015	10.5"	100
0143815	15.80	0.015	13"	100
0143217	17.20	0.017	5.5"	60
0143417	17.40	0.017	8.75"	60
0143617	17.60	0.017	10.5"	60

Visit our Web site: www.spraytechinc.com

For more information, call 1-800-292-4637

Spray Tech Corporation

1770 Fernbrook Lane, Minneapolis, MN 55447

